Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32	(work near5 function) same (intermediate near7 transfer\$4) same (toner or develop\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:50
L2	32	toner same (hydrophobic with (silicon near7 dioxide)) same (hydrophobic with (titanium near7 dioxide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:52
L3	1182	(transfer\$4 with (constant near5 current)) and (transfer\$4 with (constant near5 voltage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:53
L4	178	(transfer\$4 with (constant near5 current) with toner) and (transfer\$4 with (constant near5 voltage) with toner)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:54
L5	26	(transfer\$4 with (constant near5 current) with toner with intermediate) and (transfer\$4 with (constant near5 voltage) with toner with intermediate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2005/11/30 12:54
L6	1448	toner with (roundness or circularity)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:54
L7	399	toner with roundness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:55
L8	37	toner with roundness with ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:55

10/762497

L9	843	(toner near7 negative) same (revers\$4 near3 develop\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 12:58
L10	2958	(toner with (non-magnet\$4 or nonmagnetic)) and (toner with (one-component or (one near3 component)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:13
L11	157	9 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:13
L12	1981	toner with ((quantity or amount) near7 deposit\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:15
L13	952410	11 nd 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:16
L14	22	11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:16
L15	1	2 and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:18
L16	6897	toner with (average near5 diameter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:19

			Т		1	
L17	208	7 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:19
L18	17	8 and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/11/30 13:19
L19	3050	toner same (oligomer or monomer) same (colorant or pigment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:20
L20	5	2 and 19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:20
L21	2	2 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:27
L22	42	toner with (work near5 function) with ev	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:28
L23	374	(intermediate near5 transfer\$4) with (ion or ion-conduct\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:51
L24	28	(intermediate near5 transfer\$4) with (work near5 function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:52

Γ	T	T	T	ı ———	<u> </u>	
L25	4	23 and 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:56
L26	1638	toner with (amount or quantity) with convey\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:07
L27	167	12 and 26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 13:57
L28	102	toner with (amount or quantity) with convey\$4 with (g or mg or gram or cg or microgram or milligram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:09
L29	28	12 and 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:09
L30	6956	(speed or velocity) with develop\$5 with ((imag\$4 near3 (hold\$4 or bear\$4 or carr\$4)) or photosensitive or photoconduct\$4 or photorecept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:14
L31	730	(speed or velocity) with develop\$5 with ((imag\$4 near3 (hold\$4 or bear\$4 or carr\$4)) or photosensitive or photoconduct\$4 or photorecept\$4) with ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:15
L32	935	(latent near3 image) with ((imag\$4 near3 (hold\$4 or bear\$4 or carr\$4)) or photosensitive or photoconduct\$4 or photorecept\$4) with ratio	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/30 14:15

L33	216	31 and 32	US-PGPUB;	OR	ON	2005/11/30 14:15
			USPAT;			
			USOCR;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			